



STEP I:
INSTALL (6) CROSS MEMBERS ONTO
ONE SIDE OF THE CADDY. THE WELDS
ON THE CROSS MEMBERS SHOULD
FACE DOWN, TOWARDS THE WHEELS.
INSTALL THE HARDWARE AS SHOWN
IN THE HARDWARE DETAIL (LEFT). DO
NOT FULLY TIGHTEN ALL OF THE BOLTS
AT THIS TIME.

HARDWARE DETAIL SCALE 0.250




STEP 2: INSTALL THE SECOND SIDE OF THE CADDY. NOW TIGHTEN THE BOLTS ON BOTH SIDES.



STEP 3:

PLACE THE TRAYS ONTO THE TOP OF THE CADDY. THE TRAYS SIMPLY SET ON THE CADDY, AND MAY BE REMOVED FOR CLEANING.



SLIDE DETAIL
THE CADDY HAS BEEN DESIGNED FOR
USE WITH BOTH THE 20" WIDE AND THE
24" WIDE RELAY JUDGING PLATFORMS.
THE SLIDE IS STEPPED FOR EACH SIZE.
USE THE OUTER STEP FOR THE 24" WIDE
RELAY JUDGING PLATFORMS. USE THE
INNER STEP FOR THE 20" WIDE RELAY
JUDGING PLATFORMS.

WARNING: NEVER STAND
ON THE CADDY.

Colorado Time Systems 1551 E. 11th. St. Loveland, CO 80537 (800) 279-0111 (970) 667-1000 Phone (970) 667-1032 Fax

www.coloradotime.com F-shop online: http://secure.coloradotime.com