



STANDARD TOUCHPADS



Colorado Time Systems' touchpads have been used in every continent on the globe.

Key Features:

Tough, durable, and gentle

Why do our touchpads show up at more swim meets than any other in the world? Their all-plastic construction is tough and durable, yet their textured non-skid surface is gentle on swimmer's feet. The solid quarter-inch plastic backbone, molded one piece connectors and non-corrosive finish provide long-lasting reliability. Our touchpads can even be left in the water for the duration of an entire meet.

Easy to install, stays in place

Set-up is easy, thanks to our mounting system customized for your pool. They hold your pads in place without hardware or holes (in most pools) and prevent unwanted vertical and lateral movement. Best of all, you don't need any tools.

Sensitive to the lightest touch

Dependable, internally sealed switches record even the lightest swimmers' touch on the fully active face of all CTS pads, and also along the top edge of gutter-mounted pads. You get an accurate finish every time with no "dead spots."

A perfect size for every lane

At Colorado Time Systems, we will help you select the right touchpad for your facility. Choose from standard-sized flat- or gutter-mount pads. Custom widths are also available.

Touchpad caddy

A caddy that holds up to ten gutter-hung touchpads is available.



www.coloradotime.com | info@coloradotime.com

(800) 279-0111 | +1(970) 667-1000

1551 E 11th St. | Loveland, CO 80537 | USA

REV: 09/22



Our products are
proudly manufactured
in Loveland, CO



**Colorado
TIME SYSTEMS**
A PLAYCORE Company



STANDARD TOUCHPADS

Specification:

All of our touchpads have an internal full face switch, as well as a top edge switch on gutter-mount touchpads. Most of our touchpads are available with either our standard non-skid surface, or our patented AquaGrip® surface. Our touchpads are an all-plastic construction, and include a 10-foot cable with molded connector. Less than 5vDC on-deck power required (electronically isolated at the timer).

Custom size touchpads are also available.

Description	Standard Gutterhung	Weight	Standard Flatwall*	Weight
188.5cm x 90cm FINA touchpad	TP-188.5	47 lbs (21.3kg)	TP-188.5F	47 lbs (21.3kg)
190cm x 90cm FINA touchpad	TP-190	49 lbs (22.2kg)	TP-190F	49 lbs (22.2kg)
195cm x 90cm FINA touchpad	TP-195	49 lbs (22.2kg)	TP-195F	49 lbs (22.2kg)
240cm x 90cm FINA touchpad	TP-240	66 lbs (30kg)	TP-240F	66 lbs (30kg)
60" x 22" touchpad (152.4cm x 55.88cm) Recommended for lanes 66 - 84" wide	TP-60	28 lbs (12.7kg)		
60" x 24" touchpad (152.4cm x 60.96cm) Recommended for lanes 66 - 88" wide			TP-60F	33 lbs (15kg)
78" x 22" touchpad (198.12cm x 55.88cm) Recommended for lanes 84 - 96" wide	TP-78	35 lbs (15.9kg)		
78" x 24" touchpad (198.12cm x 60.96cm) Recommended for lanes 84 - 96" wide			TP-78F	40 lbs (18.1kg)
96" x 22" touchpad (243.84cm x 55.88cm)	TP-96	45 lbs (20.4kg)		

Accessories:

TPM-D: Touchpad test meter. Meter shows touchpad open and closed circuit status. Meter also tests pushbuttons, data cable, deck plates, and scoreboard.

VP-2: Vacuum pump

Touchpad caddy: Storage caddies available for standard or FINA touchpads; each caddy holds up to ten touchpads. Aluminum construction and four casters allow for easy transportation.





STANDARD TOUCHPADS

Profile Gutter Diagram:

When ordering touchpads, select the diagram below that best depicts your pool gutter. Enter all requested dimensions (indicated by an arrow), and note water level. Please return to: Colorado Time Systems - Sales Department | +1(970)667-5876 (fax) | info@coloradotime.com.

School Organization: _____

Name: _____

Phone: _____ Fax: _____ email: _____




Diagram 1




Diagram 2




Diagram 3




Diagram 4




Diagram 5






Diagram 6



www.coloradotime.com | info@coloradotime.com

(800) 279-0111 | +1(970) 667-1000

1551 E 11th St. | Loveland, CO 80537 | USA

REV: 09/22



Our products are
proudly manufactured
in Loveland, CO



**Colorado
TIME SYSTEMS**
A PLAYCORE Company